

Instruction Manual

Pallet Pullers



PU10



PU20



PU30

Note: The Owner/Operator must read carefully and understand all the information presented here before operation.

THANK YOU FOR CHOOSING OUR PALLET PULLERS. FOR YOUR SAFETY AND CORRECT OPERATION, PLEASE CAREFULLY READ THE MANUAL BEFORE USE.

NOTE: All of the information reported herein is based on data available at the time of printing. The factory reserves the right to modify its own products at any time without notice or incurring in any sanction. Please verify with the factory for possible updates.

PU series is a tool for pulling the pallet. This product had been divided three models according to the different use.

A: PU10, Double scissor action model, the max capacity is 5000lbs.

B: PU20, Single scissor action model, the max capacity is 5000lbs.

C: PU30, Cammed action model, the max capacity is 4500lbs.

1. PACKING

This product is packed with carton. When open the packing, please check carefully whether it is good or has other problem. If it is damaged, please fill in the list and mail to provider and recode the model you bought.

2. NOTICE

WARNING: PU series has a special use. Please pay attention to the operation as follows for using correctly.

- (1) Do not overload this pullers beyond its rated capacity. Overloading can cause distortion or rupture.
- (2) This product is designed for pulling and moving. Please check carefully the bolts, nuts and chain whether is good or not before using it.
- (3) Please notice its max capacity before using this product with other

purpose.

- (4) Please check carefully the pullers before use it. Please repair it in time if it is damaged.
- (5) Do not damage or tear off the warning label.
- (6) Do not modify this product without the permission of the manufacture.

3. OPERATING INSTRUCTIONS

- (1) Connect the chain of the pallet puller with the forklift or other lift equipment.
- (2) It is used to pull the object that its width is less than the clamp width of the pallet puller and do not overload.
- (3) It is used on flat ground or same other smooth surface.
- (4) Please ensure that there is barrier in front of the pallet before you use it. If it has, please clean out it for decreasing friction and reducing load.
- (5) The pallet puller is made of cast iron and have nibs for catching the object and it will hold the object tighter with the self-lock force.
- (6) Choose the relevant model according the different object.

4. MAINTENANCE

Please check usually whether screws and other clamp had been damaged, or connecting bolt had been distort, or chains had been tight. If there happened, please repair or change in time.

5. LIMITED WARRANTY

The product for 1 year when used properly within its rated capacity. The customer assumes liability for any modifications, unauthorized, repairs or parts substitution.